



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093.



Tel. : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



HSN CODE : 8544

PRICE LIST DECEMBER 2018

ALUMINUM UN ARMoured / ARMoured

W.E.F : 01.12.2018

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		57.00	65.00		77.00		91.00	100.00		113.00
10		68.00	84.00		99.00		108.00	126.00		141.00
16		81.00	107.00		132.00		124.00	134.00		161.00
25	55.00	114.00	156.00	178.00	190.00	91.00	139.00	181.00	203.00	220.00
35	64.00	135.00	187.00	213.00	237.00	103.00	161.00	215.00	242.00	269.00
50	84.00	174.00	245.00	283.00	311.00	125.00	200.00	272.00	314.00	347.00
70	111.00	233.00	339.00	390.00	433.00	160.00	268.00	366.00	427.00	470.00
95	151.00	313.00	419.00	485.00	543.00	180.00	344.00	454.00	515.00	573.00
120	189.00	374.00	518.00	609.00	677.00	216.00	409.00	543.00	644.00	702.00
150	229.00	454.00	642.00	735.00	840.00	257.00	494.00	670.00	762.00	865.00
185	282.00	568.00	798.00	925.00	1043.00	314.00	616.00	819.00	951.00	1074.00
240	353.00	754.00	1021.00	1178.00	1337.00	385.00	801.00	1047.00	1197.00	1371.00
300	433.00	931.00	1255.00	1448.00	1635.00	469.00	976.00	1265.00	1467.00	1653.00
400	569.00	1193.00	1576.00	1826.00	2062.00	589.00	1229.00	1608.00	1868.00	2100.00
500	677.00					807.00				
630	807.00					942.00				
800	1131.00					1298.00				
1000	1330.00					1497.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

a) Round Wire Armouring	Cable Size (Sq.mm)	FRLS Loading Factor			LSZH	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
			Armd.	Unarmd.		
- 2 x 16 & above	25.00%					
- 3 x 16 & 3.5CX25 & above	25.00%					
- 4 x 10 & above	25.00%					
- For Single core 95 & above	25.00%					
b) Stranding 10 sq.mm and below	10.00%					
c) Extruded PVC Innersheath Up 50	5.00%					
Extruded PVC Innersheath 70 & Above	2.50%					
d) HR PVC Insulation	2.00%					
e) HR PVC Inner Sheath	2.00%					
f) HR PVC Outer Sheath	2.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Cables	8.00%					

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



PRICE LIST DECEMBER 2018

CU UNARMoured / ARMoured

W.E.F : 01.12.2018

"KEI" BRAND Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		111.00	156.00		201.00		137.00	178.00		225.00
6		157.00	222.00		290.00		183.00	244.00		314.00
10		259.00	366.00		480.00		291.00	392.00		505.00
16	188.00	370.00	541.00		715.00	203.00	415.00	554.00		728.00
25	290.00	568.00	851.00	1027.00	1125.00	336.00	634.00	908.00	1093.00	1196.00
35	400.00	787.00	1177.00	1355.00	1559.00	455.00	866.00	1249.00	1434.00	1649.00
50	547.00	1076.00	1615.00	1889.00	2139.00	615.00	1176.00	1703.00	1991.00	2256.00
70	778.00	1530.00	2306.00	2688.00	3085.00	866.00	1664.00	2419.00	2818.00	3232.00
95	1045.00	2129.00	3203.00	3739.00	4289.00	1217.00	2389.00	3473.00	4058.00	4649.00
120	1320.00	2679.00	4030.00	4800.00	5412.00	1530.00	2997.00	4365.00	5199.00	5851.00
150	1649.00	3343.00	5039.00	5810.00	6764.00	1903.00	3737.00	5448.00	6283.00	7303.00
185	2030.00	4121.00	6210.00	7262.00	8332.00	2342.00	4598.00	6704.00	7838.00	8981.00
240	2616.00	5314.00	8014.00	9343.00	10755.00	3006.00	5914.00	8637.00	10067.00	11576.00
300	3259.00	6629.00	9992.00	11654.00	13415.00	3748.00	7365.00	10753.00	12541.00	14424.00
400	4286.00	8703.00	13121.00	15183.00	17625.00	4911.00	9656.00	14110.00	16316.00	18925.00
500	5412.00					6196.00				
630	6817.00					7798.00				
800	8651.00					9881.00				
1000	10810.00					12334.00				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	57.00	81.00	81.00		105.00	12	234.00	364.00
3	71.00	104.00	99.00	133.00	14	270.00	419.00	333.00	462.00
4	89.00	133.00	118.00	165.00	16	306.00	480.00	344.00	521.00
5	106.00	159.00	138.00	198.00	19	360.00	567.00	399.00	610.00
6	125.00	190.00	158.00	230.00	24	455.00	713.00	499.00	765.00
7	142.00	218.00	175.00	260.00	27	509.00	798.00	557.00	852.00
8	165.00	249.00	198.00	292.00	30	583.00	914.00	638.00	982.00
10	198.00	307.00	254.00	342.00	37	712.00	1121.00	778.00	1199.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

A) Tinning	3.00%
B) Stranding (Upto 6 SQ.MM)	6.00%
C) Extruded Innersheath	2.50%
D) Round Wire Armouring	
1C x 95 sq. mm & above	7.50%
1.5 sq.mm - 16 core & above	15.00%
2.5 sq.mm - 10 core & above	15.00%
16 sq.mm - 4 core & above	15.00%
25 sq.mm - 2 core & above	15.00%
16 sq.mm - 3 core & above	15.00%

E) OXYGEN INDEX (FR)	2.50%
F) HR PVC INSU/I.SH/O/SH.	2.00% (Each)
G) FRLS Loading-Power Cable	7.50%
H) PVC Cables	5%

Cores	FRLS Loading Factor- Control Cable				LSZH	
	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
		Armoured	Unarmd			
2 - 4	5.0%	7.5%	7.5%	15.0%	15.0%	
5 - 10	5.0%	7.5%	7.5%	15.0%	15.0%	
12 & Above	5.0%	7.5%	7.5%	12.5%	12.5%	

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



PRICE LIST DECEMBER 2018

W.E.F : 01.12.2018

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , AL FLAT STRIP ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
70	267.00	274.00	292.00			
95	303.00	306.00	325.00	422.00	438.00	586.00
120	341.00	344.00	366.00	489.00	494.00	644.00
150	380.00	385.00	402.00	529.00	538.00	673.00
185	437.00	449.00	482.00	614.00	630.00	748.00
240	541.00	552.00	607.00	706.00	724.00	846.00
300	627.00	643.00	708.00	796.00	813.00	991.00
400	750.00	781.00	848.00	942.00	964.00	1133.00
500	945.00	991.00	1027.00	1178.00	1178.00	1391.00
630	1172.00	1192.00	1223.00	1398.00	1398.00	1630.00
800	1453.00	1466.00	1486.00	1631.00	1631.00	1867.00
1000	1752.00	1759.00	1932.00	2124.00	2124.00	2277.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST DECEMBER 2018

W.E.F : 01.12.2018

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWaY					
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
70	281.00	288.00	306.00			
95	318.00	323.00	341.00	446.00	462.00	616.00
120	359.00	363.00	386.00	513.00	520.00	679.00
150	401.00	406.00	425.00	556.00	565.00	708.00
185	461.00	472.00	509.00	646.00	662.00	787.00
240	569.00	580.00	638.00	743.00	761.00	890.00
300	660.00	678.00	747.00	837.00	857.00	1044.00
400	790.00	822.00	891.00	991.00	1013.00	1192.00
500	996.00	1044.00	1080.00	1238.00	1238.00	1465.00
630	1233.00	1255.00	1288.00	1469.00	1469.00	1716.00
800	1529.00	1542.00	1564.00	1717.00	1717.00	1965.00
1000	1844.00	1851.00	2036.00	2234.00	2234.00	2389.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673

Fax : 2825 8277

E-mail : manoj.kakkar@kei-ind.com



PRICE LIST DECEMBER 2018

W.E.F : 01.12.2018

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV (E/UE)	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			560.00			
50			633.00			
70	659.00	704.00	752.00			
95	798.00	838.00	890.00	1151.00	1198.00	1597.00
120	939.00	979.00	1026.00	1338.00	1367.00	1822.00
150	1060.00	1104.00	1147.00	1479.00	1508.00	1929.00
185	1249.00	1274.00	1335.00	1653.00	1690.00	2130.00
240	1480.00	1541.00	1601.00	1945.00	1981.00	2437.00
300	1748.00	1838.00	1862.00	2236.00	2272.00	2737.00
400	2125.00	2298.00	2341.00	2629.00	2676.00	3169.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 05 of 05

KEI WIRES & CABLES